



Lab Anim Res 2015: 31(3), 153  
<http://dx.doi.org/10.5625/lar.2015.31.3.153>

## Erratum

ISSN 1738-6055 (Print)  
ISSN 2233-7660 (Online)

**Laboratory  
Animal  
Research**

<http://submission.kalas.or.kr>

Lab Anim Res 2012: 28(2), 91-97  
<http://dx.doi.org/10.5625/lar.2012.28.2.91>

# Synergistic anti-inflammatory effects of *Laminaria japonica* fucoidan and *Cistanche tubulosa* extract

Jangbeen Kyung<sup>1,#</sup>, Dajeong Kim<sup>1,#</sup>, Dongsun Park<sup>1</sup>, Yun-Hui Yang<sup>1</sup>, Ehn-Kyoung Choi<sup>1</sup>,  
Sung-Pyo Lee<sup>2</sup>, Tae-Su Kim<sup>2</sup>, Yoon-Bok Lee<sup>3</sup>, Yun-Bae Kim<sup>1,\*</sup>

<sup>1</sup>College of Veterinary Medicine, Chungbuk National University, Cheongju, Korea

<sup>2</sup>Misuba RTech Co., Ltd., Asan, Korea

<sup>3</sup>Central Research Institute, Dr. Chung's Food Co., Ltd., Cheongju, Korea

As the request of the authors, the following information has been changed.

## Materials

*Laminaria japonica* (LJ) fucoidan and CT water extract were obtained from Misuba RTech Co., Ltd. (Asan, Korea). Fucoidan and CT extract were kept at 4°C, mixed (1:3) and dissolved in purified water before use, and orally administered in a volume of 5 mL/kg.

---

<sup>#</sup>These two authors equally contributed to this work

---

\*Corresponding author: Yun-Bae Kim, College of Veterinary Medicine and Research Institute of Veterinary Medicine, Chungbuk National University, 52 Naesudongro (Gaesin-dong), Cheongju, Chungbuk 361-763, Korea  
Tel: +82-43-261-3358; Fax: +82-43-271-3246; E-mail: solar93@cbu.ac.kr

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.